



Test Report

號碼(No.): ETR21705035 日期(Date): 29-Jul-2021 頁數(Page): 1 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By)

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

樣品名稱(Sample Name)

GLASS LENS (石英玻璃)

收件日(Sample Receiving Date)

22-Jul-2021

測試期間(Testing Period)

22-Jul-2021 to 29-Jul-2021

測試需求(Test Requested)

(1)依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測 試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。(As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted

sample(s).)

其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).) (2)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, 論(Conclusion) (1)BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU)

2015/863 amending Annex II to Directive 2011/65/EU.)

Signed for and on behalf SGS TAIWAN LTD. Chemical Laboratory - Taipei





Test Report

號碼(No.): ETR21705035 日期(Date): 29-Jul-2021 頁數(Page): 2 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 透明玻璃 (TRANSPARENT GLASS)

測試結果 (Test Results)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|---|---|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440- | 參考IEC 62321-5: 2013 · 以感應耦合電漿 | mg/kg | 2 | n.d. | 100 |
| 43-9) | 發射光譜儀分析。(With reference to IEC | | | | |
| | 62321-5: 2013, analysis was performed | | | | |
| | by ICP-OES.) | | | | |
| 鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1) | 參考IEC 62321-5: 2013,以感應耦合電漿 | mg/kg | 2 | n.d. | 1000 |
| | 發射光譜儀分析。(With reference to IEC | | | | |
| | 62321-5: 2013, analysis was performed | | | | |
| T (1) \ (1) \ (2) \ (3) \ (3) \ (3) \ (3) \ (4) \ (3) \ (4) \ (5) \ (4) \ (5) \ (6) \ (6) \ (6) \ (7) | by ICP-OES.) | d | | | 1000 |
| 汞 (Hg) (Mercury (Hg)) (CAS No.: 7439- | 參考IEC 62321-4: 2013 + AMD1: 2017 · | mg/kg | 2 | n.d. | 1000 |
| 97-6) | 以感應耦合電漿發射光譜儀分析。(With | | | | |
| | reference to IEC 62321-4: 2013+ AMD1: | | | | |
| | 2017, analysis was performed by ICP- | | | | |
| 六價鉻 Cr(VI) (Hexavalent Chromium | OES.) 参考IEC 62321-7-2: 2017·以紫外光-可見 | mg/kg | 8 | n.d. | 1000 |
| Cr(VI)) (CAS No.: 18540-29-9) | 光分光光度計分析。(With reference to | mg/kg | 0 | II.U. | 1000 |
| (CI(VI)) (CAS NO.: 10540-25-5) | IEC 62321-7-2: 2017, analysis was | | | | |
| | performed by UV-VIS.) | | | | |
| 一溴聯苯 (Monobromobipheny l) | periorifica by 6 V - Vis.) | mg/kg | 5 | n.d. | - |
| 二溴聯苯 (Dibromobipheny l) | | mg/kg | 5 | n.d. | |
| 三溴聯苯 (Tribromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯 (Tetrabromobiphenyl) | 參考IEC 62321-6: 2015·以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- 6: 2015, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 五溴聯苯 (Pentabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 六溴聯苯 (Hexabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 七溴聯苯 (Heptabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 八溴聯苯 (Octabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 九溴聯苯 (Nonabromobipheny l) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯 (Decabromobiphenyl) | | mg/kg | 5 | n.d. | |
| 多溴聯苯總和 (Sum of PBBs) | | mg/kg | - | n.d. | 1000 |



Test Report

號碼(No.): ETR21705035

日期(Date): 29-Jul-2021

頁數(Page): 3 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|---|--|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 一溴聯苯醚 (Monobromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 二溴聯苯醚 (Dibromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯醚 (Tribromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯醚 (Tetrabromodiphenyl ether) | <u> </u> | mg/kg | 5 | n.d. | - |
| 五溴聯苯醚 (Pentabromodiphenyl ether) | 參考IEC 62321-6: 2015 · 以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- | mg/kg | 5 | n.d. | - |
| 六溴聯苯醚 (Hexabromodipheny l ether) | , | mg/kg | 5 | n.d. | - |
| 七溴聯苯醚 (Heptabromodiphenyl ether) | 6: 2015, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 八溴聯苯醚 (Octabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 九溴聯苯醚 (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯醚 (Decabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯醚總和 (Sum of PBDEs) | | mg/kg | ı | n.d. | 1000 |
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl | | mg/kg | 50 | n.d. | 1000 |
| phthalate (BBP)) (CAS No.: 85-68-7) | | | | | |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl | | mg/kg | 50 | n.d. | 1000 |
| phthalate (DBP)) (CAS No.: 84-74-2) | | | | | |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- | | mg/kg | 50 | n.d. | 1000 |
| (2-ethylhexyl) phthalate (DEHP)) (CAS | | | | | |
| No.: 117-81-7) | | | | | |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl | 參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321- | mg/kg | 50 | n.d. | 1000 |
| phthalate (DIBP)) (CAS No.: 84-69-5) | 8: 2017, analysis was performed by | | | | |
| 鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl | GC/MS.) | mg/kg | 50 | n.d. | - |
| phthalate (DIDP)) (CAS No.: 26761-40- | GC/1013.) | | | | |
| 0, 68515-49-1) | | | | | |
| 鄰苯二甲酸二異壬酯 (DINP) (Diisononyl | | mg/kg | 50 | n.d. | - |
| phthalate (DINP)) (CAS No.: 28553-12- | | | | | |
| 0, 68515-48-0) | | | | | |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl | | mg/kg | 50 | n.d. | - |
| phthalate (DNOP)) (CAS No.: 117-84-0) | | | | | |



Test Report

號碼(No.): ETR21705035 日期(Date):

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|--|---|--------|------|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | 參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8) | 参考BS EN 14582: 2016・以離子層析儀分 | mg/kg | 50 | n.d. | - |
| 氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1) | | mg/kg | 50 | n.d. | - |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) | 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) | mg/kg | 50 | n.d. | - |
| 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) | | mg/kg | 50 | n.d. | - |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| 全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | _ |



Test Report

號碼(No.): ETR21705035 日期(Date): 29-Jul-2021 頁數(Page): 5 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including):

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

- 6. 全氟辛酸及其鹽類包含 (PFOA and its salts including):
 - CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 7. 符合性結果之判定係以測試結果與限值做比較。(The statement of compliance conformity is based on comparison of testing results and limits.)



Test Report

號碼(No.): ETR21705035

日期(Date): 29-Jul-2021

頁數(Page): 6 of 12


晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)





Test Report

號碼(No.): ETR21705035


日期(Date): 29-Jul-2021

頁數(Page): 7 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report

號碼(No.): ETR21705035

日期(Date): 29-Jul-2021


頁數(Page): 8 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





Test Report

號碼(No.): ETR21705035


日期(Date): 29-Jul-2021

頁數(Page): 9 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report

號碼(No.): ETR21705035


日期(Date): 29-Jul-2021

頁數(Page): 10 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR21705035 日期(Date): 29-Jul-2021

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 11 of 12



Test Report

號碼(No.): ETR21705035

日期(Date): 29-Jul-2021


頁數(Page): 12 of 12

晶盛材料股份有限公司 (CRISTAL MATERIALS CORPORATION)

台北市內湖區瑞光路258巷53號3樓 (53-3F, LANE 258, RUIGUANG RD., NEIHU, TAIPEI 11491, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR21705035



** 報告結尾 (End of Report) **